

# SAFETY DATA SHEET

Category 2

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 07-	Dec-2022	Revision Date	07-Dec-2022	Revision Number 1
1. Identificati	on			
Product identifier	<u>.</u>			
Product Name		Synthetic Diester Comp	ressor Oil ISO-100, Synthetic Diester Comp	essor Oil ISO-150
Other means of id	dentification			
Product Code(s)		DCK, DCL		
Synonyms		None		
Recommended u	se of the chem	ical and restrictions on use	-	
Recommended u	se	Lubricating Oil		
Restrictions on u	se	Avoid formation of mists		
Details of the sup	plier of the saf	ety data sheet		
Initial supplier ide AMSOIL INC. Bay Adelaide Cent Tower 22 Adelaide St. W Toronto, ON, Cana T:+1 877-822-517	tre, East C S ada M5H 4E3	lanufacturer Address MSOIL INC. ne AMSOIL Center uperior, WI 54880, USA : +1 715-392-7101		
<u>E-mail</u>		compliance@amsoil.com	n	
Emergency telep	hone number			
Emergency telep	hone	CHEMTREC: Within US Outside the USA and Ca (collect calls accepted) 2		
2. Hazard(s)	identificatio	on		
<b>Classification</b>				

# Reproductive toxicity

# Label elements

# Warning

Hazard statements Suspected of damaging fertility or the unborn child.



#### **Precautionary Statements - Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary Statements - Response
IF exposed or concerned: Get medical advice/attention.
Precautionary Statements - Storage
Store locked up.
Precautionary Statements - Disposal
Dispose of contents and container to an approved waste disposal plant.

#### Other information

No information available.

# 3. Composition/information on ingredients

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	0.1-1	-	-

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### **Chemical Additions**

The classification as a carcinogen does not apply as it can be shown that the substance(s) contain(s) less than 3% DMSO extract as measured by IP 346.

# 4. First-aid measures

#### **Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove person to fresh air and keep comfortable for breathing.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. Take off contaminated clothing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

	person.	
Self-protection of the first aider	Wear personal protective clothing (see section 8).	
Most important symptoms and effe	ects, both acute and delayed	
Symptoms	May cause temporary eye irritation. May cause gastrointestinal discomfort if consumed in large amounts. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization in susceptible persons. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.	
Indication of any immediate medic	al attention and special treatment needed	
Note to physicians	Treat symptomatically.	
5. Fire-fighting measures		
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.	
Specific hazards arising from the chemical	Containers can burst or explode when heated, due to excessive pressure build-up. Thermal decomposition can lead to release of irritating gases and vapors.	
Hazardous combustion products	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).	
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	ct None. None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear Use personal protection equipment.	
6. Accidental release mea	sures	
Personal precautions, protective e	quipment and emergency procedures	
Personal precautions	Use personal protective equipment as required. See section 8 for more information. Ensure adequate ventilation.	
For emergency responders	Use personal protection recommended in Section 8.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly. After cleaning, flush away traces with water.	
Reference to other sections	For additional information see: Section 8: Exposure controls/personal protection; Section 12: Ecological information; Section 13: Disposal considerations.	
7. Handling and storage		
Precautions for safe handling		
Advice on safe handling	Avoid contact with used product. Wash hands thoroughly after handling. Handle in	

accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes.

#### Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Do not reuse empty<br/>containers. Store away from incompatible materials. Keep out of the reach of children. See<br/>section 10 for more information. Store locked up. Store in accordance with local regulations.

# 8. Exposure controls/personal protection

Control parameters	
Exposure Limits	Under conditions which may generate mists, the following exposure limits are recommended: Long-term exposure limit (8-hour TWA): 5 mg/m <sup>3</sup> . Short-term exposure limit (15-minute): 10 mg/m <sup>3</sup> .
Biological occupational exposure limits	This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.
Appropriate engineering controls	
Engineering controls	Ensure adequate ventilation, especially in confined areas.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	If there is a risk of contact:. Wear safety glasses with side shields (or goggles).
Hand protection	If there is a risk of contact: Wear suitable gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves.
Skin and body protection	If there is a risk of contact: Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Environmental exposure controls	Avoid release to the environment.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

# 9. Physical and chemical properties

Information on basic physical and c	chemical properties	
Physical state	Liquid	
Color	Amber	
Odor	Mild hydrocarbon	
Odor threshold	No information available	
Property pH	Values_	<u>Remarks • Method</u> No data available
Melting point / freezing point		No data available
Initial boiling point and boiling rang		No data available
Flash point	248 - 268 °C / 478.4 - 514.4 °F	Cleveland Open Cup ASTM D 92

Evaporation rate Flammability Flammability Limit in Air Upper flammability or explosive		No data available No data available No data available
limits Lower flammability or explosive limits		No data available
Vapor pressure Vapor density Relative density	0.9117 - 0.9141	No data available No data available No data available No data available
Water solubility Solubility(ies) Partition coefficient Autoignition temperature		No data available No data available No data available No data available
Decomposition temperature Kinematic viscosity Dynamic viscosity	98.6 - 153 cSt at 40 ⁰C 13.4 - 18 cSt at 100 ⁰C	No data available ASTM D445 No data available
Other information Explosive properties	No information available.	
Oxidizing properties Softening point Pour Point	No information available. No information available -43- (-40) °C [ASTM D 97]	
Fire Point Molecular weight VOC content Liquid Density Bulk density	270 - 282°C (COC) [ASTM D 92] No information available No information available No information available No information available	

# 10. Stability and reactivity

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	Thermal decomposition can lead to release of irritating gases and vapors. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

# 11. Toxicological information

# Information on likely routes of exposure

#### **Product Information**

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.
ymptoms related to the physical, chemical and toxicological characteristics	

#### Symptoms

May cause temporary eye irritation. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization in susceptible persons. May cause gastrointestinal discomfort if consumed in large amounts. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.

#### Acute toxicity

#### Numerical measures of toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document:

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Component Information	
Benzenamine, N-phenyl-, reaction proc	ducts with 2,4,4-trimethylpentene (68411-46-1)
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Species	Rabbit
Exposure route	Dermal
Effective dose	0.5 mL
Exposure time	4 hours
Results	Mild skin irritant

#### Serious eye damage/eye irritation No information available.

Component Information		
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene (68411-46-1)		
Method	OECD Test No. 405: Acute Eye Irritation/Corrosion	
Species	Rabbit	
Exposure route	Eye	
Effective dose	0.1 mL	
Results	non-irritant	

Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	The supplier declares that it can be shown that the substance(s) contain less than 3% DMSO extract as measured by IP 346.
Reproductive toxicity	Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. Suspected of damaging fertility or the unborn child.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	Due to the viscosity, this product does not present an aspiration hazard.
12 Ecological information	

# 12. Ecological information

#### Ecotoxicity

Large or frequent spills may have hazardous effects on the environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	EC50: 51mg/L (48h, Daphnia magna)	LC50: >100mg/L (96h, Danio rerio)	-	-

#### Persistence and degradability

No information available.

#### Bioaccumulation

#### **Component Information**

Chemical name		Partition coefficient		
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1		6.66		
Mobility in soil	No information available.			
Other adverse effects	No information available.			
13. Disposal consideration	ons			
Waste treatment methods				
Waste from residues/unused products	Dispose of in accordance with local regulations, Dispose of waste in accordance with environmental legislation.			
Contaminated packaging	Do not reuse empty conta	iners.		
14. Transport information	1			
DOT	Not regulated			
TDG	Not regulated			
IATA	Not regulated			
IMDG	Not regulated			

# 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# International Inventories

Contact supplier for inventory compliance status

\*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

#### US Federal Regulations

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

# California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Benzene - 71-43-2	Carcinogen	
	Developmental	
	Male Reproductive	
Naphthalene - 91-20-3	Carcinogen	
Ethylbenzene - 100-41-4	Carcinogen	

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Hydrogenated base oil 64742-70-7	-	X	-
Diphenylamine 122-39-4	X	X	X
2,6-Di-tert-butyl-p-cresol 128-37-0	X	X	X
Xylene 1330-20-7	X	X	X
Ethylbenzene 100-41-4	X	X	X
Benzene 71-43-2	X	X	X
Naphthalene 91-20-3	X	X	X

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Key or legend to abbreviations and acronyms used in the safety data sheet

LegendSection 8: EXPOSURE CONTWATWA (time-weighCeilingMaximum limit va	ted average)	TECTION STEL *	STEL (Short Term Exposure Limit) Skin designation		
······································					
Issuing Date	07-Dec-2022				
Revision Date	07-Dec-2022				
Revision Note	Initial Release.				

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet