Version 1.1 Revision Date 04/08/2021 Print Date 08/21/2023

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP FRESHEN DISINFECTANT SPRAY SPRING MIST
Material number	:	0000000001050017
Manufacturer or supplier's o	leta	ails
Company	:	Zep, Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

### SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear, light yellow
Odour	characteristic

#### **GHS Classification**

Flammable aerosols Gases under pressure Eye irritation	: Category 1 : Liquefied gas : Category 2A
GHS label elements	
Hazard pictograms	: Flame Gas cylinder Exclamation mark
Signal word	: Danger
Hazard statements	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H319 Causes serious eye irritation.</li> </ul>
Precautionary statements	<ul> <li>Prevention:</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> </ul>

Version 1.1	Revision Date 04/08/2021	Print Date 08/21/2023
	P251 Pressurized container: Do	not pierce or burn, even after
	use.	
	P264 Wash skin thoroughly after	handling.
	P280 Wear eye protection/ face protection.	
	Response:	
	P305 + P351 + P338 IF IN EYES	-

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. **Storage:** P410 + P412 Protect from sunlight. Do not expose to

temperatures exceeding 50 °C/ 122 °F.

#### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Substance / Mixture	:	Chemical Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
ethanol	64-17-5	>= 60 - < 65
water	7732-18-5	>= 15 - < 20
1,1-difluoroethane	75-37-6	>= 10 - < 15
butane	106-97-8	>= 1 - < 5
propane	74-98-6	>= 1 - < 5
biphenyI-2-ol	90-43-7	>= 0.1

The exact percentages of disclosed substances are withheld as trade secrets.

#### **SECTION 4. FIRST AID MEASURES**

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	<ul> <li>Wash off with soap and water.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>If on clothes, remove clothes.</li> <li>Wash contaminated clothing before re-use.</li> <li>If skin irritation persists, call a physician.</li> </ul>
In case of eye contact	: Remove contact lenses.

Version 1.1	Revision Date 04/08/2021	Print Date 08/21/2023
	Protect unharmed eye. In case of contact, immediately flus for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation persists, consult a sp	
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to ar If symptoms persist, call a physician DO NOT induce vomiting unless dir physician or poison control center.	n.
Most important symptoms and effects, both acute and delayed	<ul> <li>Effects are immediate and delayed. Symptoms may include irritation, re Effects are dependent on exposure contact time).</li> <li>Causes serious eye irritation.</li> <li>Review section 2 of SDS to see all</li> </ul>	dness, pain, and rash. (dose, concentration,
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Fluorine compounds Hydrogen fluoride Fluorocarbons
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

: Use personal protective equipment.		
Ensure adequate ventilation.		
Remove all sources of ignition.		
Evacuate personnel to safe areas.		
Beware of vapours accumulating to form explosive		
concentrations. Vapours can accumulate in low areas.		

Version 1.1	Revision Date 04/08/2021	Print Date 08/21/2023
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.	
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica g acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.	

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking.</li> <li>Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		STEL	1,000 ppm	ACGIH
		PEL	1,000 ppm 1,900 mg/m3	CAL PEL

Revision Date 04/08/2021 Print Date 08/21/2023

1,1-difluoroethane	75-37-6	TWA	1,000 ppm	US WEEL
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
		PEL	800 ppm 1,900 mg/m3	CAL PEL
		STEL	1,000 ppm	ACGIH

Version 1.1

Engineering measures : effective ventilation in all processing areas

Personal protective equipment		
Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection		
Material	:	Protective gloves
Remarks	•	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water. Tightly fitting safety goggles
Skin and body protection		Impervious clothing
Skin and body protection	•	Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink.
		When using do not smoke.
		Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: clear, light yellow
Odour	: characteristic
Odour Threshold	: No data available
рН	: 10.8

Version 1.1	Revision Date 04/08/2021	Print Date 08/21/2023
Melting point/freezing point	: No data available	
Boiling point	: 78.4 °C	
Flash point	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas, liquid)	: Flammable aerosol.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.844 g/cm3Value for liquid concentrate.	
Solubility(ies)		
Water solubility	: completely soluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: No data available	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 29.16 kJ/g	

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
	Vapours may form explosive mixture with air.
Conditions to avoid	: Avoid temperatures above 60°C, direct sunlight and contact with sources of heat. Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Version 1.1

Revision Date 04/08/2021

Print Date 08/21/2023

#### SECTION 11. TOXICOLOGICAL INFORMATION

### Potential Health Effects

Aggravated Medical Condition Symptoms of Overexposure	<ul> <li>None known.</li> <li>Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Effects are dependent on exposure (dose, concentration, contact time). Causes serious eye irritation. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.</li> </ul>	
Carcinogenicity:		
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with unknown relevance to humans ethanol 64-17-5	
OSHA	No component of this product present at levels greater than or	
NTP	equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
Acute toxicity		
Components:		
ethanol: Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour	
<b>1,1-difluoroethane:</b> Acute inhalation toxicity	: LC50 Mouse: 977,000 mg/l Exposure time: 2 h	
Skin corrosion/irritation		
Product:		
Remarks: May cause skin irritation in susceptible persons.		

# Serious eye damage/eye irritation

#### Product:

Remarks: Irritating to eyes.

Version 1.1

Revision Date 04/08/2021

Print Date 08/21/2023

#### Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### STOT - single exposure

No data available

#### STOT - repeated exposure

No data available

#### Aspiration toxicity

No data available

#### **Further information**

Product:

Remarks: No data available

#### Components:

water: Remarks: No data available

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

### Persistence and degradability

No data available Bioaccumulative potential

Product:	
----------	--

Partition coefficient: n- octanol/water <u>Components:</u>	: Remarks: No data available
ethanol : Partition coefficient: n- octanol/water	: Remarks: No data available
butane : Partition coefficient: n-	: Pow: 2.89

Version 1.1	Revision Date 04/08/2021	Print Date 08/21/2023
octanol/water		
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation Remarks	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec Substances This product neither contains, r with a Class I or Class II ODS a Clean Air Act Section 602 (40 C + B).	ction 602 Class I for was manufactured as defined by the U.S.
Additional ecological information	: No data available	
<u>Components:</u> water :		
Additional ecological information	: No data available	

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

#### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Version 1.1

Revision Date 04/08/2021

Print Date 08/21/2023

Transportation Regulation: TDG (Canada):	
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity	

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

#### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

#### Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: WARNING

Causes eye irritation. Do not get in eyes.

Avoid contact with skin.

Avoid contact with skin.

#### TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Gases under pressure Serious eye damage or eye irritation
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65		

Version 1.1

Revision Date 04/08/2021

Print Date 08/21/2023



WARNING: This product can expose you to chemicals including biphenyl-2-ol, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### The components of this product are reported in the following inventories:

DSL TSCA All components of this product are on the Canadian DSL On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 1.1

Revision Date 04/08/2021

Print Date 08/21/2023

#### **Further information**

#### NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

#### HMIS III:



0 = not significant, 1 = Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic



Version 1.1

Revision Date 04/08/2021

Print Date 08/21/2023

Version:	1.1
Revision Date:	04/08/2021
Print Date:	08/21/2023

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.